

SEVENTH FLOOR - EAST WING

MATCH LINE


ROOF

No access above ceiling,
pipes assumed to be present

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot

DESCRIPTION	LEGEND
THERMAL PIPE INSULATION RUN (NOT TO SCALE)	
THERMAL PIPE INSULATION RISER (NOT TO SCALE)	
STNK INSULATION (CAT ID) (NOT TO SCALE)	
FLOOR TILE AND MASTIC	
FLOOR MASTIC (REQUIRES FURTHER EVALUATION DURING DEMO)	
FIRE DOOR	
ELEVATOR	
NO ACCESS TO SPACE	

NOTES
Remove asbestos - containing pipe insulation from steam lines associated with in-wall radiator units. Steam lines will be cut 6' below floor grade.



STAMP:

CONSULTANTS:

NIKA Technologies, Inc.
Engineering and Management Consultants
www.nikatechnologies.com

11400 Rockville Pike, Ste 505
N. Bethesda, MD 20852
p: 301.770.3520 f: 301.770.3521

ARCHITECT/ENGINEERS:

2310 Crossroads Drive Suite 2000 • Madison WI 53718 • Tel 608 240-9900 • Fax 608 240-9690
11000 West Park Place • Milwaukee WI 53224 • Tel 414 359-3060 • Fax 414 359-3070

Intelligent Designs | Inspired Results
www.p.r.a.r.c.h.com

Drawing Title
ACBM ABATEMENT PLAN

Approved: Project Director

Project Title
RENOVATE INPATIENT MEDICAL/
SURGICAL WARD, 7E

Location
IOWA CITY VA MEDICAL CENTER

Date: 07/07/2009

Checked: -
Drawn: -

Project Number
636A8-10-001

Building Number
1

Drawing Number
1-EV2

Dwg. 3 of

Office of Construction and Facilities Management

Department of Veterans Affairs



Department of Veterans Affairs
Iowa City, IA
6601 Highway 66W
West City, IA 52246

FULLY SPRINKLERED
CONSTRUCTION DOCUMENTS